

MATERIAL SAFETY DATA SHEET

Hijaz

Product : Jannatul Naeem Perfume Oil

SECTION 1 :

PRODUCT AND COMPANY IDENTIFICATION

Product name : Jannatul Naeem Perfume Oil

Product Use Description : Perfume oil.

Company : Hijaz Apparel and Fragrances - 7046150890

SECTION 2

HAZARDS IDENTIFICATION

OSHA Hazards : Mild skin irritant, Mild eye irritant Physical hazards: Not classified. Health hazards: Acute toxicity, oral Category 4 Hazardous to the aquatic environment, acute hazard Category 3 Environmental hazards: Hazardous to the aquatic environment, long-term hazard Category 3 Hazard statement - Harmful if swallowed. Harmful to aquatic life. Harmful to aquatic life with long lasting effects. Precautionary statement Prevention - Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Response - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Storage Not available. Disposal - Dispose of contents/container in accordance with local/regional/national/international regulations. Hazard(s) not otherwise Not classified. classified (HNOC)

SECTION 3.

COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Fragrance for consumer product Fragrance Compound: A multi component mixture of fragrance ingredients. Fragrance Oil, Dipropylene glycol, Aromatic Compounds and Essential Oils. The specific chemical identities of the ingredients not listed herein are considered by Hijaz. to be Trade Secrets and are withheld in accordance with the provisions of 1910.1200 of Title29 of the U.S. Code of Federal Regulations. This item does not contain any active ingredients OTC or otherwise.

SECTION 4.

FIRST AID MEASURES

First aid procedures Inhalation : Remove from exposure site to fresh air and keep at rest. Obtain medical advice. Skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist. Eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. Ingestion : Rinse mouth with water and obtain medical advice.

SECTION 5.

FIREFIGHTING MEASURES

Flammable properties Flash point : 370.00 °F (187.78 °C) Fire fighting Suitable extinguishing media : dry chemical, carbon dioxide or appropriate foam. Do not use direct water jet on burning material. Protective equipment and precautions for firefighters Special protective equipment for firefighters: Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Special measures: Avoid vapour inhalation. Keep away from sources of ignition. Do not smoke. Wear positive pressure self-contained breathing apparatus & protective clothing. Extinguishing procedures: Closed containers may build up pressure when exposed to heat and should be cooled with water spray.

SECTION 6.

ACCIDENTAL RELEASE MEASURES

Personal precautions : Avoid inhalation and contact with skin and eyes. A self contained breathing apparatus is recommended in case of a major spill. Environmental precautions : Keep away from drains, surface- and groundwater and soil. Methods for containment / Methods for cleaning up: Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

SECTION 7.

HANDLING AND STORAGE

Handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use. If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air. Advice on protection against fire and explosion: Keep away from ignition sources and naked flame. Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

SECTION 8.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters Engineering measures Engineering measures : Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to transfer and process this material Personal protective equipment Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur. Hand protection : Avoid skin contact. Use chemically resistant gloves. Respiratory protection : Use local exhaust ventilation around open tanks and other open

sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient. If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used: a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or c) if normal operational workplace vapor concentration in the air is increased due to heat ; d) during emergencies; or e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit. Hygiene measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material. To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure. Protective measures : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004 (Updated in 2012), the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports. The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by **Hijaz** , the chemical(s) will be identified in this safety data sheet.

SECTION 9.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical state : liquid: conforms to standard Safety data Flash point : 370.00 °F (187.78 °C) Vapour pressure : < .01 hPa (< 0.01 mmHg) Relative density (20 °C) : 1.0410 - 1.0480

SECTION 10.

STABILITY AND REACTIVITY Conditions to avoid : Remarks: Direct sources of heat. Chemical stability : Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents. Hazardous decomposition products: Note: Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11.

TOXICOLOGICAL INFORMATION

No specific toxicological testing has been carried out on this preparation. Information on likely routes of exposure Ingestion Harmful if swallowed. Inhalation Due to lack of data the classification is not possible. Skin contact Due to lack of data the classification is not possible. Eye contact Due to lack of data the classification is not possible. Symptoms related to the physical, chemical and toxicological characteristics Not available. Skin corrosion/irritation Mild skin irritant. Serious eye damage/eye irritation Due to lack of data the classification is not possible. Respiratory sensitization Due to lack of data the classification is not possible. Skin sensitization Due to lack of data the classification is not possible. Germ cell mutagenicity Due to lack of data the classification is not possible. Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA at levels greater than or equal to 0.1%. Reproductive toxicity Due to lack of data the classification is not possible.

SECTION 12.

ECOLOGICAL INFORMATION

Additional ecological : Avoid contamination of soil, ground and surface water information

SECTION 13. DISPOSAL CONSIDERATIONS Contaminated packaging : Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION DOT Not dangerous goods IATA UN number : 3082 Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Class : 9 Packing group : III ICAO-Labels : 9 IMDG UN number : 3082 Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Class : 9 Packing group : III IMDG-Labels : 9 EmSNumber 1 : F-A EmSNumber 2 : S-F Marine pollutant : yes

SECTION 15. REGULATORY INFORMATION OSHA Hazards : Skin sensitizer, Mild skin irritant, Mild eye irritant SARA 311/312 Hazards : Acute Health Hazard Reportable Quantity : HMIS Classification : Health hazard: 1, Flammability: 1, Physical and chemical hazards: 0 **SECTION**

16. OTHER INFORMATION Further information The information in this MSDS was obtained from current and reliable sources. However the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond Hijaz apparels. control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance.